

CHAPTER 155 (Ordinance No. 2601, 5/18/2026)

BUILDING CODE

155.01 International Building Code Adopted	155.21 Frost Protection of Landings at Doors
155.02 Amendments to the Building Code	155.22 Handrail Continuity
155.03 Name of Jurisdiction	155.23 Repeal of Section (Window Fall Protection)
155.04 Work Exempt from Permit	155.24 Automatic Fire Sprinkler Systems
155.05 Expiration	155.25 Swimming Pool Drainage Systems
155.06 Schedule of Permit Fees	155.26 Chimney Enclosures
155.07 Valuation	155.27 Repeal Chapter 11 Energy Efficiency
155.08 Re-inspection Fees	155.28 Stairs and Exits
155.09 Certificate of Occupancy	155.29 Fire Alarms Group R-2
155.10 Board of Appeals	155.30 Accessibility Standard
155.11 Violations and Penalties	155.31 Repeal of Exception ("This Door To Remain Unlocked")
155.12 Townhouse	155.32 Fuel Gas Piping
155.13 Design Criteria	155.33 Radon Control Methods
155.14 Roof Tie Uplift Resistance	155.34 Exception (Backwater Valve)
155.15 Design and Construction	155.35 Frost Closure
155.16 Exterior Walls	155.36 Slab on Grade Foundations
155.17 Two-Family Dwellings	155.37 Foundation Drainage Systems
155.18 Opening Protection	
155.19 Fire Protection of Floors	155.38 Code on File
155.20 Glazing Adjacent to Doors	155.39 Condominium Conversions

155.01 INTERNATIONAL CODES ADOPTED. Except as hereinafter added to, deleted, modified or amended, there is hereby adopted as the Building Code of the City that certain Building Code known as the *International Building Code, 2024 Edition* (IBC) and *International Residential Code, 2024 Edition* (IRC), first printings, including Appendix K, Administrative Provisions of the IBC, and Appendix BE, Radon Control Methods of the IRC, as well as the *International Swimming Pool and Spa Code* (ISPSC), *2024 Edition*, and the *International Existing Building Code* (IEBC) as prepared and edited by the International Code Council, Inc.; and the provisions of said Building Code shall be controlling in the construction of buildings and other structures and in all matters covered by said Building Code within the corporate limits of the City and shall be known as the Robins Building Code.

(Note) Interpretations of the building official may be guided by publications of the International Code Council, Inc.

155.02 AMENDMENTS TO THE BUILDING CODE. Certain sections and portions of sections of the *International Building Code, 2024 Edition* and *International Residential Code, 2024 Edition*, are hereby amended, deleted, modified, or added to as more specifically set forth in the following sections of this chapter.

155.03 NAME OF JURISDICTION. The Robins Building Code is hereby amended by inserting "City of Robins" as the name of jurisdiction into Section 101.1 of the *International Building Code, 2024 Edition*, and Section R101.1 of the *International Residential Code, 2024 Edition*, Section 101.1 of the *International Swimming Pool and Spa Code, 2024 Edition* and Section 101.1 of the *International Existing Building Code 2024 edition*.

155.04 WORK EXEMPT FROM PERMIT.

The Robins Building Code is hereby amended by adding a new numbered item to Section R105.2 of the *International Residential Code, 2024 Edition*, as follows:

Building:

11. Unenclosed residential dwelling unit platforms or decks not exceeding 200 square feet, that are not more than 30 inches above grade at any point, are not over any basement or story, are not supporting a roof or unusual loads.

IRC decks. The Robins Building Code is hereby amended by repealing Section R105.2 Building: Exception #10 of the *International Residential Code, 2024 Edition*, and by replacing said exception with a new exception, as follows:

Building:

10. Unenclosed platforms or decks not exceeding 200 square feet, that are not more than 30 inches above grade at any point, measuring 36" out horizontally are not over any basement or story, are not supporting a roof or unusual loads, and do not serve the exit door required by Section R318.2.

155.05 EXPIRATION. The Robins Building Code is hereby amended by adding a new Section 105.5.1 to the *International Building Code, 2024 Edition* and a new Section R105.5.1 to the *International Residential Code, 2024 Edition*, as follows:

105.5.1 EXPIRATION. Every building permit issued under the provisions of the Code shall expire twelve (12) months from the date of issue, unless the application is accompanied by a construction schedule of specific longer duration, in which instance the permit may be issued for the term of the construction schedule. If the work has not been completed by the expiration date of the permit, no further work shall be done until the permit shall have been renewed by the owner or his or her agent and by payment of the renewal fee as set forth in Table 3-A SCHEDULE OF FEES as adopted by resolution of the Robins City Council and provided no changes have been made in plans or location. No permit shall be renewed more than once.

155.06 SCHEDULE OF PERMIT FEES. The Robins Building Code is hereby amended by repealing Section 109.2 of the *International Building Code, 2024 Edition*, and Section R108.2 of the *International Residential Code, 2024 Edition*, and by replacing said sections with a new section, as follows:

109.2/R108.2 SCHEDULE OF PERMIT FEES. On buildings, structures or alterations requiring a permit, a fee for each permit shall be paid as set forth in Table 3-A BUILDING PERMIT and INSPECTION FEE SCHEDULE as adopted by resolution.

155.07 VALUATION. The Robins Building Code is hereby amended by adding a new Section 109.3.1 to the *International Building Code, 2024 Edition* and Section R108.3.1 to the *International Residential Code, 2024 Edition*, as follows:

109.3.1/R108.3.1 VALUATION. Valuation for the purpose of establishing permit fees for new construction, additions or alterations to existing buildings shall be determined by the

CODE OF ORDINANCES, ROBINS, IOWA

(September 2022)

Building Official from the ROBINS VALUATION SHEET as adopted by resolution of the City of Robins City Council.

155.08 REINSPECTION FEES. The Robins Building Code is hereby amended by adding a new Section 109.7 to the *International Building Code, 2024 Edition* and Section R108.7 to the *International Residential Code, 2024 Edition*, as follows:

109.7/R108.7 RE-INSPECTIONS. A re-inspection fee may be assessed for each inspection or reinspection when such portion of work for which inspection is called is not complete or when corrections called for are not made.

This section is not to be interpreted as requiring re-inspection fees the first time a job is rejected for failure to comply with requirements of this code, but as controlling the practice of calling for inspections before the job is ready for such inspection or re-inspection.

Re-inspection fees may be assessed when the inspection card is not posted or otherwise available on the work site, the property and building address are not properly posted, the approved plans are not readily available to the inspector, for failure to provide access on the date for which inspection is requested, or for deviating from plans requiring the approval of the Building Official.

155.09 CERTIFICATE OF OCCUPANCY. The Robins Building Code is hereby amended by repealing Section 111.2 Number (3) of the *International Building Code, 2024 Edition* and Section R110.2 Number (3) of the *International Residential Code, 2024 Edition* and leaving said section numbers (3) blank.

155.10 BOARD OF APPEALS. The Robins Building Code is hereby amended by repealing Section 113.1 of the *International Building Code, 2024 Edition*, and Section R112.1 of the *International Residential Code, 2024 Edition*, and by replacing said sections with new sections, as follows:

113.1/R112.1 GENERAL. In order to hear and decide appeals of orders, decisions or determinations made by the Building Official relative to the application and interpretation of this Code, there shall be and is hereby created a Board of Appeals, consisting of the members of the Construction Codes Review Board. The Building Official or designated representative shall be an ex-officio member without a vote and shall act as secretary of the Board.

The Board shall adopt reasonable rules and regulations for conducting its investigations and shall render all decisions and findings in writing to the Building Official with a duplicate copy to the appellant and may recommend to the City Council such new legislation as is consistent therewith. The Board shall hold a regular meeting on the fourth Tuesday of each month unless there are no appeals or business on file for a hearing.

Nominal appeal fee to the Board of Appeals shall be paid as set forth in Table 3-A SCHEDULE OF FEES as adopted by resolution of the City Council. The appeal shall be valid for one (1) year from the date of the Board approval to the commencement of work and to the completion of work undertaken pursuant to the approval.

155.11 VIOLATIONS AND PENALTIES. The Robins Building Code is hereby amended by repealing Section 114.4 of the *International Building Code, 2024 Edition*, and Section R113.4 of

the *International Residential Code, 2024 Edition*, and by replacing said sections with new sections, as follows:

114.4/R113.4 VIOLATIONS AND PENALTIES. Any person, firm or corporation violating any of the provisions of this Code shall be deemed guilty of a misdemeanor, and each such person shall be deemed guilty of a separate offense for each and every day or portion thereof during which any violation of any provisions of this Code is committed, continued, or permitted and upon conviction of any such violations such person shall be punished in a manner provided in Chapter 3 of the Code of Ordinances.

155.12 TOWNHOUSE. The Robins Building Code is hereby amended by repealing the definition of Townhouse in Section 202 of the *International Building Code, 2024 Edition*, and *International Residential Code, 2024 Edition*, and inserting in lieu thereof the following:

TOWNHOUSE. A single-family dwelling unit constructed in a group of two or more townhouse units as defined in the *International Residential Code*.

155.13 DESIGN CRITERIA. The Robins Building Code is hereby amended by inserting climate and geographical design criteria into Table R301.2 of the *International Residential Code, 2024 Edition* as follows:

Wind Speed Mph	Topo. Special Wind	Seismic Design Category	Subject To Damage From				Winter Design Temp	Ice Shield Underlayment Required	Flood Hazards		Air Freezing Index	Mean Annual Temp
			Weathering	Frost Line Depth	Termite	Decay			NFIP Adoption	FIRM Maps		
109	NO	A	Severe	42"	Moderate-Heavy	Slight-Moderate	-5 F	YES	1982	7/20/21	1784	48.9

155.14 ROOF TIE UPLIFT RESISTANCE. The Robins Building Code is hereby amended by repealing R802.11 of the *International Residential Code, 2024 Edition* and by replacing said section with a new Section R802.11 as follows:

R802.11 ROOF-TO-WALL UP-LIFT RESISTANCE. Connections for residential structures, the intersection of roof framing with the wall below shall be strengthened by adding metal connectors, clips, straps, or fasteners in addition to the requirements of Sections R802.11.1, R802.11.2, R802.11, and the exceptions listed for using Table R602.3(1).

155.15 R602.3 DESIGN AND CONSTRUCTION. The Robins Building Code is hereby amended by repealing in its entirety R602.3 of the *International Residential Code, 2024 Edition*, and by replacing said section with a new Section R602.3 as follows:

R602.3 DESIGN AND CONSTRUCTION. Exterior walls of wood-frame construction shall be designed and constructed in accordance with the provisions of this chapter and Figures R602.3(1) and R602.3(2), or in accordance with AWC NDS. Components of exterior walls shall be fastened in accordance with Tables R602.3(1) through R602.3(4). Wall sheathing shall be fastened directly to framing members and, where placed on the

exterior side of an exterior wall, shall be capable of resisting the wind pressures listed in Table R301.2.1(1) adjusted for height and exposure using Table R301.2.1(2) and shall conform to the requirements of Table R602.3(3). Installation of foam sheathing used as exterior wall covering shall only be installed with structural wall sheathing. Wall sheathing used only for exterior wall covering purposes shall comply with Section R703.

Studs shall be continuous from support at the sole plate to a support at the top plate to resist loads perpendicular to the wall. The support shall be a foundation or floor, ceiling or roof diaphragm or shall be designed in accordance with accepted engineering practice.

Exception: Jack studs, trimmer studs and cripple studs at openings in walls that comply with Tables R602.7(1) and R602.7(2).

155.16 EXTERIOR WALLS. The Robins Building Code is hereby amended by repealing Section R302.1 Exception 2. of the *International Residential Code, 2024 Edition* and by replacing said Exception with a new Exception 2. as follows:

Exception 2. Fire separation distance based on an imaginary line between two buildings on the same lot shall not apply to walls separating dwellings from their accessory structures.

155.17 TWO-FAMILY DWELLINGS. The Robins Building Code is hereby amended by repealing in its entirety Section R302.3 of the *International Residential Code, 2024 Edition* and by replacing said section with a new Section R302.3 as follows:

R302.3 TWO-FAMILY DWELLINGS. Dwelling units in two-family dwellings shall be constructed as townhouses and shall be separated from each other with wall assemblies in compliance with Section R302.2 or shall be constructed as a two-unit dwelling in compliance with the International Building Code.

EXCEPTION: Wall assemblies separating two-unit townhouses need not extend through attic spaces when the ceiling is protected by not less than 5/8-inch Type X gypsum board and an attic draft stop constructed as specified in Section R302.12.1 is provided above and along the wall assembly separating dwellings. The structural framing supporting the ceiling shall also be protected by not less than ½ inch gypsum board or equivalent.

155.18 OPENING PROTECTION. The Robins Building Code is hereby amended by repealing Section R302.5.1 of the *International Residential Code, 2024 Edition* and by replacing said section with a new Section R302.5.1 as follows:

R302.5.1 OPENING PROTECTION. Openings from a private garage directly into a room used for sleeping purposes shall not be permitted. Other openings between the garage and residence shall be equipped with solid wood doors not less than 1 3/8 inches in thickness, solid or honeycomb-core steel doors not less than 1 3/8 inches thick, or 20-minute fire-rated doors. Door hardware shall be of a latching type.

155.19 FIRE PROTECTION OF FLOORS. The Robins Building Code is hereby amended by repealing Section R302.13 of the *International Residential Code, 2024 Edition* and leaving said section blank.

155.20 GLAZING ADJACENT TO DOORS. The Robins Building Code is hereby amended

by repealing Section 324.4.2 of the *International Residential Code, 2024 Edition* and by replacing said section with a new Section 324.4.2 as follows:

324.4.2 GLAZING ADJACENT TO DOORS. Glazing in an individual fixed or operable panel adjacent to a door where the nearest vertical edge of the glazing is within a 24-inch arc of either vertical edge of the door in a closed position and where the bottom exposed edge of the glazing is less than 60 inches above the floor or walking surface shall be considered to be a hazardous location.

Exceptions:

1. Decorative glazing.
2. Where there is an intervening wall or other permanent barrier between the door and the glazing.
3. Where access through the door is to a closet or storage area 3 feet or less in depth. Glazing in this application shall comply with Section R308.4.3.
4. Glazing that is adjacent to the fixed panel of patio doors.

155.21 FROST PROTECTION OF LANDINGS AT DOORS. The Robins Building Code is hereby amended by adding a Section 1010.1.5.1 of the *International Building Code, 2024 Edition* as follows:

1010.1.5.1 The Robins Building Code is hereby amended by repealing section 1809.5.1 of the International Building Code 2024 addition and replacing it with 1809.5.1 as follows.

EXTERIOR landings at doors shall be provided with frost protection regardless of door swing.

155.22 HANDRAIL CONTINUITY. The Robins Building Code is hereby amended by adding a new Exception #3 to Section R320.5 of the *International Residential Code, 2024 Edition*, and a new Exception # 6 to 1014.4 as follows:

R320.5 EXCEPTION 3. Offsets or interruptions of six inches or less in total length shall be considered to be continuous.

1014.4 EXCEPTION 6. Handrails within a dwelling unit or serving an individual dwelling unit may have offsets or interruptions of six inches or less in total length and shall be considered, for the purpose of this code, to be continuous.

155.23 REPEAL OF SECTION (WINDOW FALL PROTECTION). The Robins Building Code is hereby amended by repealing in its entirety Section R321.2 of the *International Residential Code, 2024 Edition*, and leaving said sections blank.

155.24 AUTOMATIC FIRE SPRINKLER SYSTEMS. The Robins Building Code is hereby amended by repealing Section R309 of the *International Residential Code, 2024 Edition*, and by replacing said section with a new section, as follows:

SECTION R309

AUTOMATIC FIRE SPRINKLER SYSTEMS

CODE OF ORDINANCES, ROBINS, IOWA

(September 2022)

R309.1 Townhouse automatic fire sprinkler systems. An automatic residential fire sprinkler system shall be installed throughout all attached townhouse dwelling units when any of the following conditions exist:

1. The townhouses are constructed in a group of more than four attached units.
2. Any individual townhouse dwelling unit of a structure with four or fewer attached townhouses has a floor area greater than 4,000 square feet on any one story or greater than 8,000 square feet of total floor area for all stories, excluding non-habitable areas separated from the rest of the building by a minimum of one-hour fire-resistive construction and containing smoke or heat detection interconnected with the dwelling unit smoke detectors.

Exception: An automatic residential fire sprinkler system shall not be required when additions or alterations are made to existing townhouses that do not have an automatic residential fire sprinkler system installed.

R309.1.1 Design and installation. Automatic residential fire sprinkler systems for townhouses shall be designed and installed in accordance with Section P2904.

R309.2 One and two-family dwellings automatic fire sprinkler systems. An automatic residential fire sprinkler system shall be installed in one and two-family dwellings when the following conditions exist:

1. The one-or two-family dwelling has a floor area greater than 4,000 square feet on any one story or greater than 8,000 square feet of total floor area for all stories, excluding non-habitable areas separated from the rest of the building by a minimum of one-hour fire-resistive construction and containing smoke or heat detection interconnected with the dwelling unit smoke alarms.

Exception: An automatic residential fire sprinkler system shall not be required when additions or alterations are made to existing one- and two-family dwellings that do not have an automatic residential fire sprinkler system installed.

R309.2.1 Design and installation. Automatic residential fire sprinkler systems for one-and two-family dwellings shall be designed and installed in accordance with Section P2904.

R313.3 Alternative Methods. Maximum floor area square footages of Sections R309.1 and R309.2 may be increased by 25% for buildings or floors containing more than one egress door as specified in Section R318.2 or more than one vertical egress as specified in R318.4 or other approved alternate methods of building occupant egress enhancement.

155.25 SWIMMING POOL DRAINAGE SYSTEMS. The Robins Building Code is hereby amended by adding a new Section R328.1.1 to the *International Residential Code, 2024 Edition*, as follows:

R327.1.1 SWIMMING POOL DRAINAGE DISCHARGE. Swimming pools shall be designed and constructed so as to provide for appropriate drainage of water resulting from overfilling, draining, and maintenance operations. The site plan for a proposed swimming pool shall indicate

where pool drainage is to be directed in such a manner that:

- (A) Swimming pool drainage water shall be directed away from any structure foundation.
- (B) Ponding of surface water shall be avoided
- (C) Swimming pool drainage water shall whenever possible be directed to available drainage tile or storm sewer systems.
- (D) Surface water shall not be discharged to any adjacent private property except upon drainage easements or established waterways shall not be altered so that upstream water flow is adversely affected.
- (E) Water flow shall be controlled to avoid excessive volume or velocity which could cause soil erosion or create other possible hazards.

155.26 CHIMNEY ENCLOSURES. The Robins Building Code is hereby amended by adding a new Section 429 to the *International Building Code, 2024 Edition* and Section R333 to the *International Residential Code, 2024 Edition*, respectively as follows:

429/R333 CHIMNEY ENCLOSURES. All enclosed chimneys serving solid fuel burning fireplaces and appliances shall be separated from the structure to which they are attached by installation of materials approved for one-hour fire resistive construction on the chimney side of the enclosure. The separation shall extend from the base of the appliance to the outer roofline.

155.27 REPEAL CHAPTER 11 ENERGY EFFICIENCY. The Robins Building Code is hereby amended by repealing Chapter 11 of the *International Residential Code, 2024 Edition* and Replacing it with Chapter 303 of the State of Iowa Building Code.

155.28 STAIRS AND EXITS. The Robins Building Code is hereby amended by adding a new Exception to Section 1031.3.3 of the *International Building Code, 2024 Edition* and Section R319.2.3 of the *International Residential Code, 2024 Edition*, as follows:

EXCEPTION: Basement escape windows required for remodel or finish of rooms in existing buildings may have window-sill height measured from an elevated landing not less than 36 inches wide, extending not less than 18 inches out from the interior finish of the exterior wall and not more than 24 inches in height. The landing shall be permanently affixed to the floor below and the wall under the window it serves.

155.29 FIRE ALARMS GROUP R-2. The Robins Building Code is hereby amended by repealing Section 907.2.9.1 of the *International Building Code, 2024 Edition*, and by replacing said section with a new section as follows:

907.2.9.1 GROUP R-2. A fire alarm system shall be installed in Group R-2 occupancies where:

1. Any dwelling unit is located three or more stories above the lowest level of exit discharge.
2. Any dwelling unit is located more than one story below the highest level of exit discharge of exits serving the dwelling unit.

3. The building contains 12 or more dwelling units; or
4. Any dwelling unit, or portion thereof, is more than one story above any other dwelling unit in the same building.

EXCEPTIONS:

1. A fire alarm system is not required in buildings not over two stories in height where all dwelling units and contiguous attic and crawl spaces are separated from each other and public or common areas by at least 1-hour fire partitions and each dwelling unit has an exit directly to a public way, exit court or yard.
2. A separate fire alarm system is not required in buildings that are equipped throughout with an approved, supervised automatic sprinkler system installed in accordance with Section 903.3.1.1 or Section 903.3.1.2 and which have a local alarm that meets the notification requirements of Section 907.5.2.1.

For purposes of this section, firewalls shall not define separate buildings.

155.30 ACCESSIBILITY STANDARD The Robins Building Code is hereby amended by repealing the ICC A117.1 2017 Accessibility and Usable Buildings and Facilities Standard of the *International Building Code, 2024 Edition* replacing it with the ICC A117.1 2009 Accessibility and Usable Buildings and Facilities Standard.

155.31 REPEAL OF EXCEPTION (“THIS DOOR TO REMAIN UNLOCKED”). The Robins Building Code is hereby amended by deleting Section 1010.2.4, Item 3, of the *International Building Code, 2024 Edition* and leaving said item blank.

155.32 FUEL GAS PIPING. The Robins Building Code is hereby amended by repealing Section G2415.3 of the *International Residential Code, 2024 Edition* and by replacing said section with a new Section G2415.3 as follows:

G2415.3 PROHIBITED LOCATIONS. Piping shall not be installed in or through a duct supply, return or exhaust, or a clothes chute, chimney or gas vent, dumbwaiter or elevator shaft.

155.33 RADON CONTROL METHODS. The Robins Building Code is hereby amended by repealing Section BE104 of the *International Residential Code, 2024 Edition*, Appendix BE and leaving said section blank.

155.34 EXCEPTION (BACKWATER VALVE). The Robins Building Code is hereby amended by adding a new exception to Section P3008.1 of the *International Residential Code, 2024 Edition*, as follows:

EXCEPTION: The requirements of this Section shall apply only at locations determined necessary by the City of Robins Engineer based on local conditions.

155.35 FROST CLOSURE. The Robins Building Code is hereby amended by deleting Section P3103.2 from the *International Residential Code, 2024 Edition*, and inserting in lieu thereof the following:

P3103.2 FROST CLOSURE. Where the 97.5-percent value for outside design temperature is 0°F or less, every vent extension through a roof or wall shall be not less than three (3)

inches in diameter. Any increase in the size of the vent shall be made inside the structure at a point not less than 1 foot below the roof or inside the wall.

155.36 SLAB ON GRADE FOUNDATIONS. The Robins Building Code is hereby amended by adding a new Exception (4) to Section 1809.5 of the *International Building Code, 2024 Edition* and R403.1.4.1 of the *International Residential Code, 2024 Edition*, respectively, as follows:

EXCEPTION:

(4) Slab-on-Grade Foundations. The Building Official may approve slab-on-grade foundation designs for wood or metal frame, detached buildings of Group U Occupancy or accessory to buildings constructed under the provisions of the International Residential Code and 1250 square feet in floor area or less, without additional engineering, providing the design meets all of the following:

1. Foundations supporting wood walls shall extend at least 6 inches above the adjacent finish grade.
2. The entire perimeter of the foundation shall be provided with a thickened portion of slab with cross section dimensions of 12 inches minimum width and 12 inches minimum thickness.
3. The slab floor shall be a minimum of 4 inches thick concrete with 6" x 6" reinforcing mesh or #4 reinforcing bars 24" on center front-to-back and side-to-side.
4. Slab floor and thickened edge shall be one continuous pour, interconnected with reinforcing.
5. Vertical distance from the top of the foundation floor to the lowest point of the footing base shall not be more than 24 inches.
6. Bathrooms are not allowed.
7. Pole type structures are not allowed.
8. Eave height of 11 feet (3048 mm) or less.

155.37 FOUNDATION DRAINAGE SYSTEMS. The Robins Building Code is hereby amended by repealing Section 1805.4.3 of the *International Building Code, 2024 Edition* and by replacing said section with a new Section 1805.4.3 and adding a new Section R401.3.1 to the *International Residential Code, 2024 Edition*, as follows:

R401.3.1. DRAINAGE DISCHARGE. The floor base and foundation perimeter drain shall discharge by gravity or mechanical means into an approved drainage system that complies with the following:

(A) Sump pit located inside building. Exception: Sump pit may be omitted if drainage tile can be designed with natural fall and drain on same property if approved by the Building Official.

(B) For each sump pit installed a pump discharge pipe shall be provided running continuous from a point directly outside the sump pit to the City storm sewer or other approved discharge location.

(C) Pump discharge pipe shall be installed as per the requirements of the City of Robins

Plumbing Code with connections to City storm sewer as provided in the latest edition of SUDAS as approved by the City Council.

(D) Installation of sump pump if one is found by the Building Official to be necessary. It shall be equipped to automatically provide for discharge of sump pit water outside the basement wall and above grade and/or approved by the City Engineer.

FPN: A sump pump will be considered to be necessary if water inside the sump pit will not recede to a level four inches or more below the lowest basement floor surface by gravity or absorption into the earth within a reasonable period of time.

(E) The outlet line from the sump pump shall discharge a minimum of two (2) feet from the outside foundation wall and/or be approved by City Engineer.

(F) Where ground water conditions warrant, the Building Official may require additional drain tile as he/she deems necessary.

Final graded lots shall comply with the grading plan and any terms of the memorandum of agreement for the approved subdivision.

155.38 CODE ON FILE. An official copy of the Robins Building Code hereby adopted, including a certificate by the Clerk as to its adoption and the effective date thereof, shall be on file in the Office of the Clerk in City Hall and shall be kept there on file, and copies shall be available for public inspection. Copies of this chapter shall be available in the Building Department Office.

155.39 CONDOMINIUM CONVERSIONS. No person shall record in the office of the Linn County Recorder, a condominium conversion relating to property within the corporate limits of the City of Robins, without first complying with the provisions of Section 499B.3 of the Iowa Code and having satisfactorily corrected any deficiency noted in the City inspection and having received a certificate of compliance.

For the purposes of condominium conversion, structures completed prior to the date of adoption of this Code, and thereafter converted to a horizontal property regime (condominium) are not required to be updated to comply with the building code in effect at the time of the conversion, except the following building code provisions shall be complied with:

- Fire Protection Systems
- Means of Egress.
- Structural and Life-Safety concerns specifically noted.

The Building Official may waive compliance with any or all of the above exceptions where the Building Official determines compliance to be unduly burdensome or not practical or reasonable given the nature of the structure.